

Textile Glass fabrics

WOVEN FABRIC DATA SHEET

G.Angeloni reference

Ref. VV 108

CHARACTERISTICS			
Mass per unit area g/m2			
Weave			
Standard Width	mm		
Laminate thickness	mm		
Finish			
Other information			

Nominal	Tolerance	Normative
48	± 5%	ISO 4605
Plain		ISO 2113
955	± 2,5%	
0,05	± 5%	ISO 4603
Type GI 96	Pluricompatible	

Hominal Construction			
Fibre description			
Thread Count	ends/cm		
Weight distribution	g/m2		
VV GIGITE GISEIDULIOIT	%		
Tensile Strenght	N/cm		

Nominal Construction

WARP		WEFT	
E Glass		E Glass	
EC 5 11 tex		EC 5 11 tex	
23,5	ISO 4602	18,5	ISO 4602
glass fibre	26	glass fibre	22
	54%		46%
>60	ISO 4606	>40	ISO 4606

(**) Theorical thickness for an epoxy laminate with 40% of reinforcement in volume.

Note: Technical information furnished is based on laboratory findings and believed to be correct. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user.

G.Angeloni srl

via Abate Tommaso , 72/A5 - 30020 Quarto d'Altino (VE) - ITALY Tel. +39 0422 823801 - 780580 Fax +39 0422 782782 E-Mail : info@g-angeloni.com